

Section 9
Safety Health
and
Environmental
Manual

2025

Jobsite Survey & Behavior Observation

1	Developed:	6/26/2008		
	Revised:	10/16/2017		
CORPORATE SAFETY, HEAD	NMENTAL MANUAL	Revision:	09	
CORI ORATE SAFETT, HEAT	ZIII & ENVIK	JAMIENTAL MANUAL	Reviewed:	12/17/24 KMC
STANDARD OPERATING PRO	CEDURE:	Jobsite Survey & Behavior Observation		
CROSS REFERENCE:	None			

JOBSITE SURVEY & BEHAVIOR OBSERVATION

PURPOSE

The purpose of this plan is to establish a program and procedures for the evaluation of self, peers and overall jobsite safety behaviors, unsafe acts, and unsafe conditions at *Brieser Construction*. Our Company is firmly committed to providing each of its employees a safe and healthy work environment. The purpose for this procedure is to outline requirements for conducting daily, weekly and monthly jobsite safety inspections & behavioral observations.

DEFINITIONS

Attitude – Refers to the 'feel' part of your work. It relates to how you feel about your work and your approach towards work. Hence, work attitude behavior is intangible. You cannot see it. Your colleagues cannot see it. But people can feel it.

People whom you work with can feel your work attitude behavior. They can feel it if you carry out your tasks with pride. They can feel whether your belief in your work or not. They know if you have passion in your work. These positive attitudes at work are a 'subconscious' transfer of feelings.

Behavior – Refers to the 'do' part of your work. It relates to how you do your work and how you get your work done. Work behavior attitude can be seen. It is the actual work. You can see the result of your work behavior attitude be it a report or a finished good. Your colleagues can see it. It is the action.

They could see if you worked hard. They can see if you do your work with skills and applied the knowledge you know into the work. They can see for themselves if you are the "all talk and no work" type. Work behavior attitude is the real thing. You cannot fool people into believing that your work behavior attitude is good when it is not.

Unsafe Act – The actions of a person in a manner which vary from the accepted or legislated safe practice and create a hazard to themselves, another person, or equipment.

Unsafe Condition – A condition in which something exists that varies from a normal accepted safe condition and, if not corrected, could cause injury, death, or property damage.

Brieser Construction	Page	Section 9
Safety, Health & Environmental Manual	2	Jobsite Survey & Behavior Observation

I	Developed:	6/26/2008		
	Revised:	10/16/2017		
CORPORATE SAFETY, HEAL	TH & FNVID	NMENTAL MANUAL	Revision:	09
CORIONATE SAFETT, HEAD	THE ENVIRC	JAMENTAL MANUAL	Reviewed:	12/17/24 KMC
STANDARD OPERATING PRO	CEDURE:	Jobsite Survey & Behavior Observation		
CROSS REFERENCE:	None			

RESPONSIBILITIES

The Program Administrator – Safety Director

These people are responsible for:

- Maintaining the training records of all employees included in the training sessions.
- Reviewing and updating this program as necessary.
- Reviewing and analysis of trending
- Preparing action plans to address unsafe behaviors
- Providing initial and annual training of employees on program objectives and incident metrics.
 How to conduct observations and completion of the Brieser jobsite survey and behavior observation form.
- Conduct jobsite surveys and behavior observations daily

Management – Key Management Team

These people are responsible for:

- Reviewing and analysis of trending
- Assist the Safety Department in preparing action plans to address unsafe behaviors
- Conduct a jobsite survey monthly

Personnel Manager

This department is responsible for:

- Maintaining the training records of all employees included in the training sessions.
- Data entry from Brieser jobsite survey and behavior observation form to trend unsafe behaviors.
- These Jobsite Survey & Behavior Observations are no longer completed on paper. We have an account with Safety Culture (iAuditor) at www.safetyculture.com Where this and many other forms are stored.
- These results and many type of analytics can also be pulled and shared to management and the company when needed.
- If you think you need access to this site to participate in these observations, please contact the Safety Department.

Brieser Construction	Page	Section 9
Safety, Health & Environmental Manual	3	Jobsite Survey & Behavior Observation

1	Developed:	6/26/2008		
	Revised:	10/16/2017		
CORPORATE SAFETY, HEAD	TH & FNVID	NMENTAL MANUAL	Revision:	09
CORI ORA IE SAFEI I, IIEAI	ZIII & ENVIK	JANUENTAL MANUAL	Reviewed:	12/17/24 KMC
STANDARD OPERATING PRO	CEDURE:	Jobsite Survey & Behavior Observation		
CROSS REFERENCE:	None			

The Job Superintendent/Foreman

This person is responsible for:

- Immediately responding to any employee concerns and requests for information.
- Perform one behavior observation and jobsite survey a week.
- Ensure observations remain anonymous and positive in nature
- Turn in Brieser jobsite survey and behavior observation forms to office to be scanned and entered system for trend analysis
- Correct any unsafe behavior or unsafe act or condition in a positive fashion
- Verify that employees are trained on the observation process
- Ensure that each jobsite survey & behavior observation has been signed for their jobsite.

Employees

These people are responsible for:

- Perform at least one behavior observation per week and at least one jobsite survey a week
- Ensure observations remain anonymous and positive in nature
- Turn in Brieser jobsite survey and behavior observation forms to office to be scanned and entered system for trend analysis
- Correct any unsafe behavior or unsafe act or condition in a positive fashion

GENERAL

Conducting the Observation

The key to a successful observation is the initial contact between the observer and the worker or workers that are the subject of the observation. Observers are trained to establish a friendly contact and explain the purpose of the observation and that he/she will identify both the positive observations and the behavior or unsafe condition that requires correction. The Observer will solicit the observed employee's comments as to a solution for the unsafe behavior and recorded on the form. It is also stressed that except for an intentional and flagrant safety violation, there are no names to be associated with the observation. If the worker being observed fails to correct or respond positively to the observer, the supervisor is called, and the observation is halted. Normally, however, the observer finds nothing but safe behavior and thanks the worker for their cooperation and gives the worker praise for doing their job safely.

Brieser Construction	Page	Section 9
Safety, Health & Environmental Manual	4	Jobsite Survey & Behavior Observation

1	Developed:	6/26/2008		
	Revised:	10/16/2017		
CORPORATE SAFETY, HEAI	TH & FNVID	NMENTAL MANUAL	Revision:	09
CORI ORA IE SAFEI I, IIEAI	ZIII & ENVIK	JAMIENTAL MANUAL	Reviewed:	12/17/24 KMC
STANDARD OPERATING PRO	CEDURE:	Jobsite Survey & Behavior Observation		
CROSS REFERENCE:	None			

TRAINING

Any Brieser employee wishing to perform Jobsite Surveys and Behavior Observations must be qualified as defined under training requirements in this section.

Training Content

Training will include:

- Program objectives and incident metrics that will be measured on the behavioral observation form
- Hazard identification techniques
- A review of all Brieser Construction critical permits
- History and theory of Behavior Based Safety
- Hands-on or tabletop exercises to improve human interaction
- OSHA VPP elements and overall review of a Safety and Health Management System

TRAINING REQUIREMENTS

Classroom training: 2 Hours

Hands-on: A minimum of five observations under a trained employee, initially management or safety will conduct this training. To be considered an Instructor in Jobsite Survey & Behavior Observations, an individual must complete the 2-hr classroom training and also the required five onsite observations with a qualified instructor.

DATA COLLECTION & TREND ANALYSIS

All Jobsite Survey and Behavior Observations will be sent to the office to be scanned into our network in addition; all Behavior Observations will be entered into a data base which will be grouped according to the forms criteria section and trended for percentage of safe & unsafe behaviors.

ACTION PLAN

The Safety Director in conjunction with the key Management Team provides action plans to address unsafe behaviors. The action plan items will be transferred to our annual VPP submissions to OSHA under the Voluntary Protection Program which is reviewed throughout the year and action items are completed per this list.

Brieser Construction	Page	Section 9
Safety, Health & Environmental Manual	5	Jobsite Survey & Behavior Observation



BRIESER CONSTRUCTION
SAFETY & HEALTH MANUAL
SECTION 9
JOBSITE SURVEY & BEHAVIOR
OBSERVATION
TRAINING

Brieser Construction Jobsite Survey & Behavior Observation

Company name	Brieser Construction	Jo	b l	Nur	nbe	r												
Supervisor		Sι	ırv	eye	d B	y												
Date/time		Sι	ıpe	rvi	sor	Sign	atu	re										
Jobsite location		Pr	oje	ect :	Maı	nage	r											
	S= Safe Condi	tion	1	N	/A=	No	t A	pplic	cable		At Risk							
JOB	SITE CRITERIA		S		N	/A		R		(COMMI	ENTS -	Positi	ve & :	Rein	force	ment	
			In	div	idu	al O	bse	ervat	tion Se	ection	1							
Personal									_									
Head																		
Eyes & Face																		
Ears																		
Legs & Feet																		
Arms & Hands		Ш																
Body use and pos																		
Lifting/Pulling/Pus																		
	r Being Struck by Objects																	
Contacting Tempe																		
Contacting Electic	Current																	
Exposure to a Haz	ardous Substance																	
Repetitive Motions	s																	
Awkward Position	s/Static Postures																	
Caught In, On, or l	Between Objects																	
Falling																		
Tools and Equipm																		
Proper Selection a																		
Tool and Equipme	ent Condition																	
Cords/Lights Cond	lition and Tagged Properly																	
GFCI's/Tested & I	Being Used																	
Scaffolds Tagged																		
Housekeeping Co	ndition																	
At audit start																		
During audit																		
				J	obs	site S	Sur	vey	Section	n								
Work									_									
Housekeeping Cor		Ш																
Area Flagged Off		L																
Proper Storage of	Materials	Ш																
Walking and Worl	king Surfaces	L																
Adequate Lighting	5	上																
Jobsite General:									,									
TSTI complete &	reviewed	L							_									
Emergency Proced		L							_									
	lable and Properly Stocked	L							_									
Barricades installe		L																
	afety Risk Report Forms		П	1	Г	٦	Г											
Available onsite?		丰	Ξ			_		_										
Safety Meetings H	eld Weekly	丄					Ц											
Operating		4							1									
Hot Work/Entry P		1	L	Ц	<u>L</u>		Ļ	4										
Fall Protection Per		4	Ļ			_	Ļ	4										
Confined Space Er	ntry Signs Posted		Ļ	Щ	<u>L</u>		Ц	4	1									
Excavation Permit	S	4	Ļ			_	Ļ	4										
Lifting/Rigging Pe		丰	Ļ			_	Ļ	4										
Demolition-Engine	eering Survey	丰	Ļ			_	Ļ	4										
Pre-Lift Permit		丰	L	Ц	L		Ц	_										
Lock Out/Tag Out	Permits	丄																

Brieser Construction	Page	Section 9
Safaty Haalth & Environmental Manual	7	Inheita Survey & Robertion Observation

Brieser Construction Jobsite Survey & Behavior Observation

Jobsite Survey & Behavior Observation Learning Exercise

		Score:	%
	_		
Employees Name:	Date:		
Company:	Instructor:		
Trade:	_ Job Title:		

Answer each of the following questions by circling the appropriate letter.

- 1. If you would like to complete this form you will need to now do this online. Who do you contact for access to the web site?
 - a. Company President
 - b. VP of Operations
 - c. Safety Department
 - d. Equipment Director
- 2. How long is the classroom portion of the training?
 - a. 1 Hour
 - b. 2 Hours
 - c. 3 Hours
 - d. 8 Hours
- 3. Which of the following items will NOT be covered during your training?
 - a. Program objectives and incident metrics that will be measured on the behavioral observation form.
 - b. Hazard identification techniques
 - c. A review of all Brieser Construction critical permits
 - d. History and theory of Behavior Based Safety
 - e. Hands-on or tabletop exercises to improve human interaction.
 - f. Tour of the Nuclear Reactor in Braidwood, IL

Brieser Construction Jobsite Survey & Behavior Observation

Jobsite Survey & Behavior Observation Learning Exercise

Answer Sheet

- 1. If you would like to complete this form you will need to now do this online. Who do you contact for access to the web site?
 - a. Company President
 - b. VP of Operations
 - c. Safety Department
 - d. Equipment Director
- 2. How long is the classroom portion of the training?
 - a. 1 Hour
 - b. 2 Hours
 - c. 3 Hours
 - d. 8 Hours
- 3. Which of the following items will NOT be covered during your training?
 - a. Program objectives and incident metrics that will be measured on the behavioral observation form.
 - b. Hazard identification techniques
 - c. A review of all Brieser Construction critical permits
 - d. History and theory of Behavior Based Safety
 - e. Hands-on or tabletop exercises to improve human interaction.
 - f. Tour of the Nuclear Reactor in Braidwood, IL